BIONIC


PANEL TANK



Strong, light weight
Heat and cold resistance
Maintance free
Easy to install
Good mechanical properties
Good shape stability

PT. TUNAS WIKARYA PERWITA
Solution for water problems
Office : Ruko daxen Blok CD.26 Dasana Indah Tangerang 15821
Tel. **021-22224678**, Email: tunaswikaryaperwita@gmail.com
Factory : Jl. Kutruk Raya no.18, Jambe, Kab. Tangerang
https://tunasbionic.com/

CONTRUCTION DETAIL



BIONIC panel tank with custom spesialdesign is very smooth, strong, elegant, configurative design, attractive look and free seepage. This special design can be match to your space, availability, and your water storage need.

The installation is so easy, fast, and accurate. The panel surface are very smooth, free from rusted or corrosion and also maintenance free.

BIONIC panel tank are producted by Resin Transfer Moulding (RTM) Method, which advantages :


- High Percision
- Both Smooth Surface
- Exact and Consistence Thiickness
- Luxurious

PT. TUNAS WIKARYA PERWITA
Solution for water problems
Office : Ruko daxen Blok CD.26 Dasana Indah Tangerang 15821
Tel. **021-22224678**, Email: tunaswikaryaperwita@gmail.com
Factory : Jl. Kutruk Raya no.18, Jambe, Kab. Tangerang
https://tunasbionic.com/

TENSILE MODULUS

UNP STEEL BASE FRAMES		
Height (mm)	Main Base Frame (mm)	Supporting Base Frame (mm)
1000	UNP.100	UNP 80
1500	UNP.100	UNP 80
2000	UNP.120	UNP 80
2500	UNP.120	UNP.100
3000	UNP.150	UNP.100
3500	UNP.150	UNP.120
4000	UNP.150	UNP.120
5000	UNP.200	UNP.120

Tensile Strenghth kg/cm^2	Tensile Modulus kg/cm^2	Safety Factor (S.F)
4100-5200	2.1×10^6	*1.25"-"2.25 **2.25 - 5
* Static Load		**Dynamic Load



PT. TUNAS WIKARYA PERWITA
Solution for water problems
Office : Ruko daxen Blok CD.26 Dasana Indah Tangerang 15821
Tel. **021-22224678**, Email: tunaswikaryaperwita@gmail.com
Factory : Jl. Kutruk Raya no.18, Jambe, Kab. Tangerang
https://tunasbionic.com/

MODULES DIMENSION

